



MC40

Mobile Computer

Accessories Guide



MC40 Series



MC40



MC40 MSR

What is included in the box:



MC40



Battery

Also Included:

- Quick Start Guide
- Regulatory Guide
- 1 Year Standard Warranty

Find Product Information in the **EMC Product Portfolio** on [The Source](#) and [PartnerCentral](#)

The screenshot shows the 'EMC Product Portfolio' page on the Partner Central website. The page has a blue header with the text 'Partner Central' and 'ENTERPRISE MOBILE COMPUTING'. The main content area features the title 'EMC PRODUCT PORTFOLIO' in large blue letters. To the right of the title are four categories with corresponding images: 'CUSTOMER FACING' (two women at a counter), 'FIELD MOBILITY' (a person in a green shirt using a device in a store), 'TASK SPECIFIC' (a woman in a blue shirt using a device in a warehouse), and 'INDUSTRIAL MOBILITY' (a worker in an orange safety vest using a device on a truck). On the left side of the page, there is a list of resources:

- EMC Resources
- Zebra Solutions At A Glance
- Enterprise Mobile Computing
 - Knowledge Worker Portfolio
 - Line Worker Portfolio
 - EMC Software & Solutions
- Topical Content
 - MSI OS Strategy
 - The Value of Enterprise Class Products

CONFIGURATION & ACCESSORY GUIDES are available on [The Source](#) and [PartnerCentral](#)

For access to additional product information including this guide, please visit: www.zebra.com/mc40

Step 1: Choose an MC40 configuration

CONFIGURATION OPTIONS:	MC40 SKU #	OPTION	DESCRIPTION
Color	MC40XX-SXXXXXX	S	Smoke Gray
	MC40XX-HXXXXXX	H	Healthcare Blue NOTE: This SKU does not have Gingerbread or MSR options
Scanner	MC40XX-XCXXXXX	C	SE4500 (Blockbuster)
	MC40XX-XLKXXXXX	L	SE4710 (Loco) Only available on KK sku's
Operating System	MC40XX-XXGXXXXX	G	Android 2.3 Gingerbread
	MC40XX-XXJXXXXX	J	Android 4.1.1 Jellybean
	MC40XX-XXKXXXXX	K	Android 4.4.4 KitKat
MSR (Magnetic Stripe Reader)	MC40XX-XXXXX0X	0	No MSR
	MC40XX-XXXXXMX	M	Magnetic Stripe Reader (MSR)
Voice	MC40XX-XXXXXX0	0	PTT
	MC40XX-XXXXXX1	1	Phone
FIPS	MC40XX-XXXXXXXF	F	FIPS

All currently available MC40 configurations include the following features:

1. 4.3 inch Capacitive touch display
2. 1/8GB SLC memory
3. 8MP camera

The complete MC40 configuration matrix can be viewed here:

Step 2: Choose a spare battery type

2680mAh Battery



Standard Capacity Battery

Single Battery **BTRY-MC40EAB0E-01R**
10 Pack **BTRY-MC40EAB0E-10R**

MC40 4 Slot Battery Charger



SACMC40XX-4000R

! MC40 4 Slot Battery Chargers require power supply (PWRS-14000-148C) & country specific AC line cord sold separately. (See AC Line Cord Country List on last page)



Healthcare 2680mAh Battery



Standard Capacity Healthcare Battery. Health Care Blue for MC40 Health Care

Single HC Battery **BTRY-MC40EAB0E-03H**

MC40 4 Slot Healthcare Battery Charger, White, Disinfectant Ready



SACMC40XX-4000HC

Step 3: Choose a charging method

Single Slot Cradles



CRDMC40XX-1000R

MC 40 Single Slot Cradle.



CRDMC40XX-1000HC

MC40 White, Healthcare Single Slot Cradle - Charge only, Disinfectant Ready.

! MC40 Single Slot Cradles require power supply (PWRS-124306-01R) and USB Cable (25-MCXUSB-01R) sold separately.

PWRS-124306-01R



25-MCXUSB-01R



Five Slot Cradles



CRDUNIV-40-5000R

5 Slot Charge Only Cradle. Ability to mount a 4-Slot Battery Charger via the battery adapter cup (sold separately). See Cradle Configuration Slide.



CRDUNIV-40-5000HC

MC40 White, Healthcare 5 Slot Charge Only Cradle - Disinfectant Ready.

! MC40 5 Slot Cradles require power supply (PWRS-14000-148C) & country specific AC line cord sold separately.

(See AC Line Cord Country List on last page)






Step 4: Cradle configurations

Charge 5 Terminals








Required Parts

QTY	SKU
1x	CRDUNIV-40-5000R  MC40 5-Slot Charge Only Cradle w/ 5 Terminal Cups
1x	Power Supply: PWRS-14000-148C 
1x	Country Specific AC Line Cord 

Charge 4 Terminals + 4 Batteries



Required Parts

QTY	SKU
1x	CRDUNIV-40-5000R  MC40 5-Slot Charge Only Cradle w/ 5 Terminal Cups
1x	CUPUNIBTRY-1000R Cradle Adapter Cup for 4-Slot Battery Charger 
1x	SAC40XX-4000R 4-Slot Battery Charger 
2x	Power Supply: PWRS-14000-148C 
2x	Country Specific AC Line Cord 

Step 5: Choose cradle power accessories

DC Cables

25-122026-02R

MC40 2-way DC “Y” cable. Provides Power to two 4-Slot Battery Chargers off one power supply(PWRS-14000-148C).

Note: 4- Slot Battery Chargers, Power Supply and Country Specific AC Line Cord Sold Separately.



25-MCXUSB-01R

USB Cord for MC40 Single Slot Cradle.

Note: Power Supply (PWRS-124306-01R) and Single Slot Cradle Sold Separately



Power Supplies

PWRS-14000-148C

PWR SPLY:100-240VAC,12VDC,4.16A MOD for use with the MC40 5-Slot Cradle & 4-Slot Battery Charger.

Note: Country specific three wire grounded AC Line Cord sold separately.



PWRS-124306-01R

Power Supply-100-240 VAC, 5 V, 1.2 A with country specific plugs. For use with MC40 Single Slot Cradle.

Note: Single Slot Cradle & USB Cable sold separately.



Step 6: Choose cradle accessories

Cradle Base



CRDUNIV-XX-5000R

5 Slot Charge Only Cradle. Base only. Can accommodate up to 5 Cups.

Note: Power Supply, AC Line Cord, and device specific charging cups sold separately.



CUPMC40XX-1000R

MC40 Replacement Charging Cup for 5 slot Charge Only Cradle – (QTY-1).

Note: Base, Power Supply, AC Line Cord all sold separately.

Cradle Parts



CUPUNIBTRY-1000R

4-Slot Battery Charger Adapter Cup. Provides ability to mount a 4-Slot Battery Charger on to the 5-Slot Charge Only Cradle (sold separately). 4-Slot Battery Charger requires its own power supplies.

See Cradle Configuration slide for more information.



CUPUNICVR-5000R

Blank Slot Covers for MC40 5-Slot Cradle - Plastic lid to cover and protect cradle charge slots when MC40 charge cups are not in use. (QTY-5).

Step 7: Choose a headset

Headset

MC40 REV B 2.5MM Headset for PTT + VoIP. Headset includes rotating ear piece for right/ left ear configuration & built in cord wrap. QTY-1. NOTE: headset is only compatible w/ Android JellyBean OS (4.1.1) with Rev B. This headset will not work on older versions of MC40.

HDST-25MM-PTVP-01



Step 8: Choose carrying options

Belt Holster



SG-MC40HLSTR-03R

MC40 Belt mounted soft hip holster with robust rotating clip.
(QTY 1)

Accommodates MSR and NON-MSR Devices with or with out the Rubber Boot installed.

Rigid Holster

Rubber Boot



NON-MSR Rubber Boot

Single Battery	SG-MC40-RBOOT-01R
----------------	-------------------

10 Pack	SG-MC40-RBOOT-10R
---------	-------------------



MSR Rubber Boot

Single Battery	SG-MC40-MBOOT-01R
----------------	-------------------

10 Pack	SG-MC40-MBOOT-10R
---------	-------------------

Finger Strap



MC40 Finger Strap

Single Battery	SG-MC40STRAP-01R
----------------	------------------

10 Pack	SG-MC40STRAP-10R
---------	------------------

MC40 Finger strap;
comes with 2 screws

Step 9: Ring scanner accessories

Ring Scanner

RS507

Give your workers the superior blend of technology, form and function needed to achieve a new level of productivity in package handling and warehouse applications with the RS507. Advanced ergonomics and Bluetooth® cordless freedom deliver unparalleled freedom of movement and user comfort — regardless of hand size or hand preference. Best-in-class scanning performance includes stunning laser-like performance on both 1D and 2D bar codes and omnidirectional scanning, eliminating the need to align bar code and scanner. And as the most rugged scanner in its class, the RS507 offers reliable performance in demanding environments — from the loading docks to the warehouse floor and assembly line.

****Note: Ring Scanner is only compatible with MC40 with JellyBean or higher***



RS507 Guide



RS507 Guide

Open for more information on the RS507 Configurations and Accessories

Step 10: Choose an AC line card

Country	Three Wire Grounded AC Line Cord
Abu Dhabi	50-16000-220R: 1.8M long, CEE 7/7 plug.
Australia	50-16000-217R: 1.9M long, AS 3112 plug.
Bolivia	50-16000-220R: 1.8M long, CEE 7/7 plug.
Brazil	50-16000-727R: 18AWG, 250V, 16A, BR (3w).
China	50-16000-217R: 1.9M long, AS 3112 plug. 50-16000-257R: 1.8M long, IEC 60320 C13 plug.
Dubai	50-16000-220R: 1.8M long, CEE 7/7 plug.
Egypt	50-16000-220R: 1.8M long, CEE 7/7 plug.
Europe	50-16000-220R: 1.8M long, CEE 7/7 plug.
Hong Kong	50-16000-219R: 1.8M long, BS1363 plug.
India	50-16000-669R: 1.9M long, BS 546 plug.
Iran	50-16000-220R: 1.8M long, CEE 7/7 plug.
Iraq	50-16000-219R: 1.8M long, BS1363 plug.

Country	Three Wire Grounded AC Line Cord
Israel	50-16000-672R: 1.9M long, S132 plug.
Italy	50-16000-671R: 1.8M long, CIE 23-16 plug.
Japan	50-16000-218R: 1.8M long, NEMA 1-15P plug.
Korea	50-16000-220R: 1.8M long, CEE 7/7 plug. 50-16000-256R: 1.8M long, CEE7/7 plug.
Malaysia	50-16000-219R: 1.8M long, BS1363 plug.
New Guinea	50-16000-217R: 1.9M long, AS 3112 plug.
Russia	50-16000-220R: 1.8M long, CEE 7/7 plug.
Singapore	50-16000-219R: 1.8M long, BS1363 plug.
UK	50-16000-219R: 1.8M long, BS1363 plug.
US	23844-00-00R: 7.5 feet long. 50-16000-221R: 1.8M long, USA NEMA 5-15P.
Vietnam	50-16000-220R: 1.8M long, CEE 7/7 plug.