# *Team*Pad 7510C

Rugged Citrix® Thin-Client Computing in Windows CE

FUJITSU

Redefining Mobile Computing

The TeamPad™ 7510C handheld embodies a whole new concept in mobile computing. By remaining constantly connected to a Citrix® Metaframe server or Terminal Services Server, the 7510C gives your workers the freedom to perform no matter where they are. With a RISC processor, a large color touch screen, RF support and industry-leading ruggedization, the 7510C is a lightweight, powerful handheld solution for a wide range of businesses.

The Fujitsu TeamPad 7510C keeps you in constant touch with information

Greatly Reduces Total Cost of Ownership

The TeamPad 7510C's Windows® CE Windows-Based Terminal (WBT) environment offers a compelling, economical and competitive advantage. Critical applications and data are stored on the server, while only a minimal number of programs run on the handheld. As a result, users can always reach important information no matter which handheld they use. And since all key programs reside on the server, upgrading software and adding new functionality is fast and easy.

In addition, the TeamPad 7510C's thin-client architecture provides added security, virtually effortless data backup, and streamlined maintenance. It all adds up to a lower total cost of ownership.

Lightweight and Versatile

The TeamPad 7510C can help you cut costs while improving nearly any business process. The color SVGA touch screen is ideal for displaying charts, graphs and medical reports. You can also incorporate the 7510C into your database management, and streamline billing procedures and diagnostic coding. In short, the TeamPad 7510C can adapt to any wireless LAN environment where security and cost of ownership is a concern.

The ruggedized TeamPad 7510C offers you the opportunity to work closely with Fujitsu to help meet your objectives. We can reduce your total cost of ownership, bring you exciting new technology, and ultimately help you build stronger relationships.

**The Fujitsu TeamPad 7510C
in the Single Charging Stand**

TEAMPAD 7510C SPECIFICATIONS

Processor
NEC RISC VR4121-168MHz processor

Memory
RAM: 32MB
ROM: 32MB + 8MB (Flash ROM)

Operating System and Software Support
Windows CE with Microsoft RDP and Citrix ICA client software embedded in flash ROM

Display
10.4" diagonal TFT 256-color LCD 800 x 600 indoor/outdoor viewing, FL-backlight
with support for panning and scaling of larger images

Keyboard
20 key tactile-numeric keypad, including navigation keys

Touch and Pen Panel
Resistive touch screen; Virtual keyboard

Status Indicator Light
Battery activity status

PCMCIA
1 Type II slot for RF card

Communications and Interface
Dual internal antennas
2 Serial ports (1 RS232 port, 1 TTL port)

Power
Main Battery: Lithium-ion 1750mAh smart battery pack
Approximately 2.5 hours charging time (with pack charger)

Environmental
Operating Temperature: 32° to 104° F (0° to 40° C)   Humidity: 20% to 85% RH (non-condensing)
Storage Temperature: -4° to 140° F (-20° to 60° C)   Humidity: 20% to 85% RH (non-condensing)

Durability
Exceeds industry standards for shock, drop and vibration
Water and dust resistant construction
IP Rating = 54

Size
11.2" W x 8.0" H x 1.0" D (285mm W x 205mm H x 25mm D)

Weight
2.0 lbs. (930 g) including RF card and battery

Regulatory
UL, cUL (Canada), CE mark, FCC Part 15

OPTIONS AND PERIPHERALS

Optional Charging Stands
Keyboard dock with Mini USB keyboard
Single and dual charging stands with daisy chain capability

Optional Battery Pack Chargers
Dual battery pack charger

Bar Code Reader Interface
RS232 interface for industry standard bar code scanners