



Product List - July 15, 2013

Contact CyberLock for pricing or for the name of an Access Partner that can help you.

STANDARD CYLINDERS

CL-6P1	6-pin, Schlage® format
CL-6P3WR	6-pin, Schlage format, weather-resistant, designed for padlocks
CL-C1N	Cam, 3/4" diameter, 3/8" tenon, multiple actions, straight latch
CL-C5N	Cam, 3/4" diameter, 9/32" tenon, 90° action, no latch
CL-C6N	Cam, 3/4" diameter, 1/4" tenon, 90° & 180° actions, multiple latches
CL-ES2	Electronic switch with relay, 2.5" diameter plate (Different plate sizes upon request)
CL-M2	Mortise, 1.125" (Finish choices: bright chrome, brushed chrome, bright brass, dark bronze)
CL-M4	Mortise, 1.25" (Finish choices: bright chrome, brushed chrome, bright brass, dark bronze)
CL-R1	Rim, U.S. standard (Finish choices: bright chrome, brushed chrome, bright brass, dark bronze)
CL-LF01	Large format interchangeable core, Schlage format
CL-SF03	Small format interchangeable core, Best format, 7-pin
CL-SF03-A	Small format interchangeable core, Best format, 7-pin, built-in driver
CL-OVL	Scandinavian oval
CL-OVLWR	Scandinavian oval, weather-resistant with cover
CL-PD3030	Profile, double, 30mm outside/30mm inside
CL-PD3535	Profile, double, 35mm outside/35mm inside
CL-PD4545	Profile, double, 45mm outside/45mm inside
CL-PD6030	Profile, double, 60mm outside/30mm inside
CL-PH30	Profile, half, 30mm
CL-PH30T	Profile, half, 30mm true
CL-PH32.5C	Profile, half, 32.5mm, with cover
CL-PH35	Profile, half, 35mm
CL-PH37C	Profile, half, 37mm, with cover
CL-PH40	Profile, half, 40mm
CL-PH42C	Profile, half, 42mm, with cover
CL-PH45	Profile, half, 45mm
CL-PH55	Profile, half, 55mm
CL-PH65C	Profile, half, 65mm, with cover
CL-PH80	Profile, half, 80mm
CL-PH80C	Profile, half, 80mm, with cover
CL-PK3030	Profile, knob, 30mm outside/30mm inside
CL-PK32.530C	Profile, knob, 32.5mm outside/30mm inside, with cover
CL-PK3535	Profile, knob, 35mm outside/35mm inside
CL-PK3550	Profile, knob, 35mm outside/50mm inside
CL-PK3735C	Profile, knob, 37mm outside/35mm inside, with cover
CL-PK4030	Profile, knob, 40mm outside/30mm inside
CL-PK4030C	Profile, knob, 40mm outside/30mm inside, with cover
CL-PK5030	Profile, knob, 50mm outside/30mm inside
CL-PK5050	Profile, knob, 50mm outside/50mm inside
CL-PK6030	Profile, knob, 60mm outside/30mm inside
CL-PK7030	Profile, knob, 70mm outside/30mm inside
CL-PK8030	Profile, knob, 80mm outside/30mm inside
CL-S02	Switch lock, .75" cam-style, on/off
CL-SM2	Switch lock, .75" cam-style, momentary
CLT-570	Australian 570 oval, tamper plug

VENDING CYLINDERS

CLT-T6H	Dual-action, back install, tamper plug
CLT-T7H	Spring latch, front install, tamper plug

STANDARD PADLOCKS CyberLock cylinder installed

PL-01	Brass, 1" x 3/8" diameter stainless steel shackle
PL-01KR	Brass, 1" x 3/8" diameter stainless steel shackle, key retaining
PL-02	Brass, 2" x 3/8" diameter stainless steel shackle
PL-02KR	Brass, 2" x 3/8" diameter stainless steel shackle, key retaining
PL-03	Brass, 3" x 3/8" diameter stainless steel shackle
PL-03KR	Brass, 3" x 3/8" diameter stainless steel shackle, key retaining

CUSTOM PADLOCKS Minimum order quantity and set-up fee may be required

PL-01-A	Brass, 1" x 5/16" diameter stainless steel shackle
PL-01KR-A	Brass, 1" x 5/16" diameter stainless steel shackle, key retaining
PL-02-A	Brass, 2" x 5/16" diameter stainless steel shackle
PL-02KR-A	Brass, 2" x 5/16" diameter stainless steel shackle, key retaining
PL-03-A	Brass, 3" x 5/16" diameter stainless steel shackle
PL-03KR-A	Brass, 3" x 5/16" diameter stainless steel shackle, key retaining
PL-BB45	Padlock, barbell format, 45mm shackle
PL-HP1	High-security padlock, hockey puck format, stainless steel body

CUSTOM CYLINDERS Minimum order quantity and set-up fee may be required. Please call for details.	
CL-6P2	6-pin, Yale® 1801 hardware format
CL-7P1	7-pin, Yale 1802A hardware format
CL-C2N	Cam, 3/4" diameter, 3/8" tenon, 95°-210° or 30°-180° action, straight latch
CL-C3N	Cam, 3/4" diameter, 3/8" tenon, 90° action, spring hook latch
CL-C5NC	Cam, 9/32" tenon with collar
CL-C6NF	Cam, 3/4" diameter, fully threaded body, 1/4" tenon, 90° & 180° actions, multiple latches
CL-C7N	Cam, 22mm diameter, 10mm tenon, no latch or nuts
CL-C8N	Cam, 3/4" diameter, 3/8" tenon, 90° action, latch spacer, no latch
CL-C9N	Cam, 19mm diameter, 7mm tenon, 90° action, no latch or nuts
CL-C10N	Cam, 3/4" diameter, 5/16" tenon, no latch
CL-C11ND	Cam, 22mm diameter, 11mm tenon, 90° action, no latch or nuts, drill resistant
CL-C12N	Cam, 22mm diameter, 1/4" tenon, 90° action, multiple latches
CL-C13N	Cam, 22mm diameter, 11mm tenon, 90° action, no latch
CL-C14N	Cam, RI 509/511 format
CL-C15N	Cam, RI 503 format
CL-C16N	Cam, RI 521 format
CL-C17N	30mm diameter, 11mm tenon
CL-CA	Cabinet lock, 22mm diameter, weather-resistant
CL-CA2D	Cabinet lock, 22mm diameter, drill resistant
CL-CB	Cam, 23mm diameter, 7mm tenon, no latch or nuts
CL-FK4141R	Fichet compatible, removable knob, 41mm outside/41mm inside
CL-IKC	Cam, Euro round, 1.175" diameter
CL-IPS01	32mm IPS cam
CL-IPS02	30mm IPS TE cam
CL-IPS03	40mm IPS TE cam
CL-KB1	Knob Block
CL-M2C	Mortise, 1.125", with cover
CL-M4C	Mortise, 1.25", with cover
CL-MIWA-BH	CyberLock, MIWA Format, BH Version
CL-MIWA-LA	CyberLock, MIWA Format, LA Version
CL-OK3535	Oval with knob, 35mm outside/35mm inside
CL-OVLD	Scandinavian oval, drill-resistant
CL-OVLI	Scandinavian oval, interior installation
CL-PDFR4045	Profile, double, free-rotating, 40mm/45mm interchangeable
CL-PEM3030	Profile, 30mm outside electronic/30mm inside mechanical
CL-PEM4040	Profile, 40mm outside electronic/40mm inside mechanical
CL-PHS32.5XD	Profile, high-security, half, 32.5mm, enhanced drill-resistance
CL-PHS36	Profile, high-security, half, 36mm
CL-PKS3635	Profile, high-security, knob, 36mm outside/35mm inside
CL-PKS6030	Profile, high-security, knob, 60mm outside/30mm inside
CL-PKS6030R	Profile, high-security, removable knob, 60mm outside/30mm inside
CL-PL2WR	Cylinder for Abus padlock, weather resistant
CL-PL3WRD	Cylinder for Squire padlock, drill- and weather-resistant
CL-PM1D	Parking meter, double D tenon, drill-resistant
CL-PM2D	Parking meter, round tenon, drill-resistant
CL-R2	Rim, 36.3mm diameter, 24.6mm long
CL-RK29	Ruko 29mm
CL-RK29C	Ruko 29mm, with cover
CL-RND29	Round 29mm
CL-RND29WR	Round 29mm, weather-resistant with cover
CL-RP1	Removable plug cylinder
CL-RP2	Removable plug cylinder, cabinet format
CL-RWR	Weather-resistant rim with cover, 28mm diameter, 34mm long
CL-SH32	Swiss round half, 32mm
CL-SK3232	Swiss round knob, 32mm outside/32mm inside
CL-SK3232R	Swiss round, removable knob, 32mm outside/32mm inside
CL-TC1	Traffic cabinet lock
CL-TCG	Traffic cabinet lock, Gatsometer style
CL-TEL	Telephone cash box
CLT-530	Australian 530 format, tamper plug
CLT-PL4WR	Cylinder for Lockwood padlock, weather resistant, tamper plug
SAFE LOCKS Sold through approved Safe Partners	
SL-DB1	Safe lock, deadbolt latch
SL-SP1	Safe lock, spring latch
SL-SW1	Safe lock, swing latch
SL-KS1	Keypad activation switch, La Gard
SL-KS2	Keypad activation switch, S & G
TD-01	Safe lock time delay, retrofit
TD-M01	Time delay mounting kit

CYBERKEYS	
CK-IR7	User key, infrared, replaceable battery, replaceable tip
CK-IR7-ROHS	User key, infrared, replaceable battery, replaceable tip, ROHS compliant
CK-IR7C	Control key for CL-LF01 and CL-SF03 only, replaceable battery
CK-RBT	User key, Bluetooth, infrared, rechargeable battery, replaceable tip
CK-RXD	User key, infrared, rechargeable battery, replaceable case
CK-RXD2	CyberKey® II, rechargeable battery, replaceable case, USB
RECHARGING STATIONS	
CKS-010	1-key charging station, 120v, 60Hz
CKS-F10	1-key charging station, 220v, 50Hz
CKS-016	6-key charging station, 120v, 60Hz
CKS-F16	6-key charging station, 220v, 50Hz
COMMUNICATORS	
CK-GM	Grand Master
CKB-IR1	IR Encoder
CKS-020	USB Station with USB cable (Also recharges rechargeable batteries)
CKS-030	WebStation, 120v, 60Hz (Also recharges rechargeable batteries)
CKS-F30	WebStation, 220v, 50Hz (Also recharges rechargeable batteries)
CLP-100	USB Programmer with software
AH-W1	Authorizer hub, web, 120v, 60Hz
AH-W2	Authorizer hub, web, 220v, 50Hz
AK-01	Authorizer keyport, indoor/outdoor installation, 1 x 8 display, keypad
MK-01	Authorizer Mini keyport, indoor/outdoor installation
MK-01B	Authorizer Mini keyport, indoor/outdoor, blank label
CYBERKEY VAULTS	
CKV-001	CyberKey Vault, 1-key capacity, 120v, 60Hz
CKV-F01	CyberKey Vault, 1-key capacity, 220v, 50Hz
CKV-020FX	CyberKey Vault, 20-key capacity, 120-220v, 50-60Hz, Flex System compatible, compatible with RXD/RXD2 keys only
CKV-C1	Vault 20 cable for Europe
CKV-C2	Vault 20 cable for Australia
RFB-001	RFID card reader, USB connection
RFC-010	RFID card, 13.56 MHz, pack of 10
CYBERAUDIT SOFTWARE	
PROFESSIONAL	
CAP-100	CyberAudit Professional
CAP-100-D5	CyberAudit Professional, digital download
SP-100	CyberAudit Server, Professional software
SP-100-S	CyberAudit Professional installed on SP-100
CAP-M01	Door & I/O software module, Professional
ENTERPRISE	
ENTERPRISE	CyberAudit Enterprise
CAW-M01	Location graphics software module, Enterprise
CAW-M02	Door & I/O software module, Enterprise
CAW-M03	Key security pack software module, Enterprise
CAW-M04	Lock list filtering software module, Enterprise
CAW-M05	LDAP login/password verification software module, Enterprise
CYBERLOCK FLEX SYSTEM	
FLEX SYSTEM HUB	
FS-SH01	Flex System Hub, 8 input/output ports
INPUT MODULES	
FS-DS01	Display module (required for knob module; optional for RFID module)
FS-KD01	Keypad display module
FS-KB01	Data entry knob module (display module required)
FS-MP01	Flex keyport
FS-RH02	13Mhz RFID reader with beeper
OUTPUT MODULES	
FS-CV01	CyberKey weatherized vault module
FS-DC01	Door & I/O module
CYBERPOINTS	
CP-05	CyberPoint, a non-locking version of CyberLock, used for data recording at checkpoints

ACCESSORIES/PARTS	
A-CC375	Collar for 3/4" diameter cams, .375" length (minimum order may apply)
A-IC01	Adapter kit, CL-SF03 to Yale IC format (minimum order may apply)
A-U120	USB Station transformer, 120v, 60Hz
A-U220	USB Station transformer, 220v, 50Hz
BOX-01	Single gang box, indoor/outdoor
BOX-02	4" x 4" x 4" junction box
BOX-03	6" x 6" x 4" junction box
BRUSH	Lock and key pin cleaning brush, stainless steel bristles
CK-CAP-010	Key tip cap, 10 pack
FS-PLATE-101	Mounting plate for RFID, knob, and display modules, BOX-01
FS-PLATE-201	Mounting plate for weatherized vault module, BOX-02
FS-PLATE-202	Mounting plate for keypad display module, BOX-02
FS-PLATE-301	Mounting plate for BOX-03
HDM1459	USB micro cover for CK-RXD2, black, 25 pack
HDP250	End cap for CK-RXD2
HDP237	End cap for CK-RCG/RXD, black
TIP-001	Replaceable tip for CK-IR7 and CK-RBT
TIP-008	Replaceable case for CK-RXD
TIP-010	Replaceable case for CK-RXD2
TWC-016	Standard USB to micro USB cable for CK-RXD2
SERVICE ITEMS FOR CUSTOMERS USING WINDOWS VERSION OF PROFESSIONAL, CAS-100	
CK-P7	CyberLock Programmer, infrared
CK-USB	USB Programmer, includes USB software.
CKB-002	CyberKey base station, 120v, 60Hz
CKB-F02	CyberKey base station, 220v, 50Hz
TWC-008	9-pin cable, base station to PC serial port
AS-100	Authorizer software

CyberLock, Inc.
 1105 N.E. Circle Blvd., Corvallis, OR 97330
 541-738-5500 • Fax 541-738-5501 • www.cyberlock.com • sales@cyberlock.com

CyberLock, the CyberLock logo, CyberKey, CyberAudit, Authorizer, CyberPoint and other marks are trademarks or registered trademarks of Videx, Inc.
 All other trademarks, service marks, and product or service names are trademarks or registered trademarks of their respective owners. GCO3408