


PDC-10 CCD INTEGRATED PORTABLE DATA TERMINAL

1.PDC-10 CCD INTEGRATED PORTABLE DATA TERMINAL



PIN-OUT CONFIGURATION			
1.	RX	6.	GHARGE
2.	TX	7.	RTS
3.	PE	8.	VCC
4.	GND	9.	DATA
5.	TRIG	10.	CTS


MODEL NO	MEMORY	ZEBEX STD P/N	REMARK
PDC-10-4	512K	PDC-92221-51	Standard product
PDC-10-8	1024K	PDC-92231-10	Standard product

2.SOFTWARE FOR PDx-10 SERIES PORTABLE DATA TERMINAL

MODEL NO	FEATURE	ZEBEX STD P/N	REMARK
TASK GEN.	PC/AT DOS based Task Generator	PDX-52404-TS	Standard product

3.COMMUNICATION CRADLE FOR PDx-10 SERIES PORTABLE DATA TERMINAL

CRD-10



ZEBEX STD P/N PDX-52101-CR

PIN-OUT CONFIGURATION	
DB-25(F)	
2.	RX
3.	TX
7.	GND

RJ-11 RS-485 (I/O)			
1.	GND	4.	TD(-Z)
2.	RD(-A)	5.	TD(+Y)
3.	RD(+B)	6.	+4.5V output

INNER OF DC-JACK: +12VDC, 1A min.
OUTER OF DC-JACK: GND


4.ACCESSORIES FOR PDx-10 SERIES PORTABLE DATA TERMINAL

BATTERY PACK



MODEL NO	ZEBEX STD P/N	REMARK
RBP-10	PDX-52201-NH	Ni-MH rechargeable battery pack, 3.6V, 1200mA
ABP-10	PDX-52202-AA	3AA Alkaline battery pack (incl. 3 batteries)



QUICK CHARGER (QCG-10)



ZEBEX STD P/N PDX-52301-QC

PIN-OUT CONFIGURATION			
DB-9(M) for PDX-10		DB-25(F) for DTE	
2.	TX	2.	RX
3.	RX	3.	TX
5.	GND	7.	GND
9.	CHARGH		


AC ADAPTER



MODEL NO	INPUT	OUTPUT	ZEBEX STD P/N	REMARK
POWER ADAPTER US TYPE	110 VAC	12 VDC 1A	PWO-52204-NL	For CRD-10 Cradle Only
POWER ADAPTER VDE TYPE	220 VAC	12 VDC 1A	PWO-52206-VD	For CRD-10 Cradle Only
POWER ADAPTER US TYPE	110 VAC	12 VDC 500mA	PWO-52205-NL	For QCG-10 Quick Charger Only
POWER ADAPTER VDE TYPE	220 VAC	12 VDC 500mA	PWO-52203-VD	For QCG-10 Quick Charger Only

5.ACCESSORIES FOR PDx-10 SERIES PORTABLE DATA TERMINAL


COMMUNICATION CABLE FOR CRD-10



PIN-OUT CONFIGURATION		
DB-25(M)	DB-9(F)	FUNCTION
2	3	TX
3	2	RX
7	5	GND

MODEL NO	ZEBEX STD P/N	REMARK
COMMUNICATION CABLE	CAB-52303-PC	DB-25/DB-9 From CRD-10 to host

COMMUNICATION CABLE FOR TERMINAL



PIN-OUT CONFIGURATION		
RJ-45	DB-9(F)	FUNCTION
1	3	RX
2	2	TX
4	5	GND
6	9	CHARGE

MODEL NO	ZEBEX STD P/N	REMARK
COMMUNICATION CABLE	CAB-52302-PC	RJ-45/DB-9 From PDx-10 to host

6.HOW TO PLACE ORDER

1. Decide which size of memory you desire.
2. And also whether you need communication cradle.
3. Choose the appropriate power adapter.
4. If the required cable cannot be found in this selection guide, please contact ZEBEX or local ZEBEX dealer.

ITEMS	PDL-10ME-4	PDC-10ME-8	Remark
ABP-10	Standard	Standard	Only Battery Box
Comm. Cable	Standard	Standard	Form PDX to the Host
TASK GEN	Standard	Standard	PC/AT DOS based Task Generator
RBP-10	Standard	Standard	With NI-MH Battery
QCG-10	Standard	Standard	Quick Charge Battery use
AC Adapter	Optional	Optional	Required for QCG-10
CRD-10	Optional	Optional	Communication& Battery change
Comm. Cable	Optional	Optional	Form CRD to Host
AC Adapter	Optional	Optional	Required for CRD-10

7.SELECTION EXAMPLE

If you need: 512K memory, PDC-10 CCD integrated portable data terminal with communication cradle and Comm Cable and adapter - Please use part numbers (P/N) as follows for placing order:

PDC-92221-51 + PDX-52101-CR + CAB-52303-PC +PWO -52204-NL (or PWO-52206-VD)